




hp calculators

HP 10s Solving Compound Interest Problems

Compound Interest

Practice Solving Compound Interest Problems



Compound interest

Interest is a charge for the use of money. There are two types of interest calculations: simple and compound. With the former, only the original amount of money (i.e. the principal) earns interest for the entire life of the transaction:

$$\text{interest} = \text{principal} \times \text{interest rate} \times \text{time}$$

For example, suppose you put \$1,000 in the bank at 6% simple interest for 3 years. You would earn $\$1,000 \times 6\% \times 3 = \180 . In essence, you receive \$60 in interest at the end of each year. By *adding the interest* to the principal each year you could earn more money: suppose at the end of the first year, you withdraw the \$1,060, go to another bank, and deposit a balance of \$1,060. The second year you will earn $\$1,060 \times 6\% \times 1 = \63.60 . You do the same thing again and, at the end of the third year, earn $\$1,123.60 \times 6\% \times 1 = \67.42 . So instead of \$180, you receive \$191.02. This is the way *compound* interest works: each time the interest is paid, it is added to the balance. Calculations involving compound interest use the following formula:

$$F = P(1 + i)^n$$

where F is the future value, P is the principal, i is the interest rate and n is the number of compounding periods. Compound interest is usually “compounded” (i.e. paid) annually, but it may also be monthly, quarterly or semiannually.

Even though the HP 10s is a scientific calculator, it can solve a wide variety of compound interest problems. Several examples are shown below.

Practice solving compound interest problems

Example 1: Calculate the future value of \$3,000 invested at 7% for 5 years.

Solution: The future value is given by the compound interest formula: $F = 3000 \cdot (1 + 7\%)^5$. Press:

$$3 \ 0 \ 0 \ 0 \times \ (\ 1 \ + \ . \ 0 \ 7 \) \ ^{yx} \ 5 \ =$$

Answer: \$4,207.66, rounded to the nearest cent.

Example 2: Find the principal which yields \$25,000 when invested at 3% annually for 20 years.

Solution: The principal is $P = \frac{F}{(1 + i)^n} = \frac{25000}{(1 + 3\%)^{20}}$, which can be calculated as follows:

$$2 \ 5 \ 0 \ 0 \ 0 \div \ (\ 1 \ + \ . \ 0 \ 3 \) \ ^{yx} \ 2 \ 0 \ =$$

Answer: The principal that must be invested is \$13,841.89.

Example 3: How many time periods are needed to increase \$10,000 at 8.5% annual interest to \$15,000?

hp calculators

HP 10s Solving Compound Interest Problems

Solution: The unknown value is now n, which is given by: $n = \ln\left(\frac{F}{P}\right) / \ln(1 + i)$. In this example:

$$n = \frac{\ln(15000/10000)}{\ln(1 + 8.5\%)}. \text{ The keystroke sequence is then:}$$

\ln (1 5 0 0 0 0 ÷ 1 0 0 0 0) ÷ \ln (1 + . 0 8 5) =

Answer: $n = 4.97$, so the number of time periods is five.

Example 4: Find the annual interest rate that produces \$100,000 from \$20,000 in 15 years.

Solution: The formula is now: $i = \left(\frac{F}{P}\right)^{\frac{1}{n}} - 1$, where $F = 100000$, $P = 20000$ and $n = 15$:

1 0 0 0 0 0 0 ÷ 2 0 0 0 0 0 = y^x 1 5 x^y - 1 =

Answer: $i = 0.1133$ or 11.33%.